

Treating Diabetes Type 2

Amanda McQuade Crawford with thanks to Joanne Roberts

References

1. Data from the Centers for Disease Control and Prevention (CDC), and the National Health Interview Survey (NIHS).
2. Gaeddert A. How do you treat diabetes and syndrome X? Part I. *Townsend Lett.* 233:138.
3. Pizzorno J and M Murray. *A Textbook of Natural Medicine*. Bastyr University Publications, VI: DiabMe 1–2, ND.
4. Rubin R et al. Health care expenditures for people with diabetes mellitus. *J Clin Endocrin Metab* 1994; 78:804-809.
- 5 Rolla L and MD Thomas. *The Eclectic Practice of Medicine*. 1907.
6. Szathmary E. Non-insulin-dependent diabetes mellitus among aboriginal North Americans. *Ann Rev Anth* 1994; 23:457-482.
7. Reaven G. Syndrome X. *Clin Diabetes* 1994; 3-4:32-52.
8. Reaven G. Syndrome X: 6 years later. *J Int Med Suppl* 1994. 736:13-22.
9. Duke J, S Beckstrom-Sternberg, and CL Broadhurst. *U.S. Dept. of Agriculture Phytochemical and Ethnobotanical Database* 1997 (<http://www.ars-grin.gov/duke/>).
10. Cook N and S Samman. Flavonoids – chemistry, metabolism, cardioprotective effects, and dietary sources. *J Nutr Biochem* 1996; 7:66-76.
11. Broadhurst C et al. Lipids, chromium, and phytochemicals: a synergistic approach to non-insulin-dependent diabetes mellitus. Essential fatty acids and eicosanoids: invited papers from the Fourth International Conference July 1997, *Prostaglandins Leukot Essent Fatty Acids* 1997; 57:202.
12. Straub S et al. Stimulation of insulin secretion by denatonium, one of the most bitter tasting substances known. *Diabetes* 2003; 52(2):356-364.
13. Felter HW and JU Lloyd. *King's American Dispensatory*, 1898.
- 14 Ni YX. Therapeutic effect of berberine on 60 patients with type II diabetes mellitus and experimental research. *Zhong Xi Yi Jie He Za Zhi* 1988; 8(12):711-713.
15. Leng S, F Lu, and L Xu. Therapeutic effects of berberine in impaired glucose tolerance rats and its influence on insulin secretion. *Acta Pharmacol Sin* 2004; 25(4):496-502.
16. Mills S and K Bone. *Principles and Practice of Phytotherapy*, Churchill Livingstone, London: 2000, p 294.
17. Velussi M et al. Long-term (12 months) treatment with an antioxidant drug (silymarin) is effective on hyperinsulinemia, exogenous insulin need and malondialdehyde levels in cirrhotic diabetic patients. *Hepatology* 1997; 26(4):871-879.
18. Cignarella A et al. Novel lipid-lowering properties of *Vaccinium myrtillus* L. leaves a traditional antidiabetic treatment, in several models of rat dyslipidemia: a comparison with ciprofibrate. *Thromb Res* 1996; 84(5):311-322.
19. Pizzorno J and M Murray. *A Textbook of Natural Medicine*, Bastyr University Publications, ND.
20. Yongchaiyudha S et al. Antidiabetic activity of *Aloe vera* L. juice I. Clinical trial in new cases of diabetes mellitus. *Phytomedicine* 1996; 3(3):241-243.
21. Yongchiyudha S et al. Antidiabetic activity of *Aloe vera* L. juice II. Clinical trial in new cases of diabetes mellitus. *Phytomedicine* 1996; 3(3):245-248.
22. Sanchez de Medina F et al. Hypoglycemic activity of juniper “berries,” *Planta Med* 1994; 60:197-200.
23. Swanston-Flatt, S et al. Traditional plant treatments for diabetes. Studies in normal and streptozotocin diabetic mice. *Diabetologica* 1990; 33(8):462-464.
24. Heil B and H Schilcher. Poster presentation, 24th International Symposium on Essential Oils, Berlin, 1993.
25. Palit P, B Furman, and A Gray. Novel weight-reducing activity of *Galega officinalis* in mice. *J Pharm Pharmacol* 1999; 51(11):1313-1319.
26. Bone K. Gymnema: a key herb in the management of diabetes. *Townsend Lett.* 233:28.
27. Shanmugasundaram et al. The insulinotropic activity of *Gymnema sylvestre*, R. Br. An Indian medical herb used in controlling diabetes mellitus. *Pharmacol Res Commun* 1981; 13:475.
28. Waller G et al. (Eds). Saponins used in food and agriculture, in *Advances in Experimental Medicine and Biology*, Vol. 405, Plenum Press, New York, 1996.

29. Yoshikawa K. *Tetrahedron Lett* 1991; 32(6):789-792.
30. Shimizu K et al. Inhibitory effects of glucose utilization by gymnema acids in the guinea-pig ileal longitudinal muscle. *J Smooth Muscle Res* 1996; 32(5):219.
31. Wang L et al. Inhibitory effect of gymnemic acid on intestinal absorption of oleic acid in rats. *Can J Physiol Pharmacol* 1998; 76:1017.
32. Shanmugasundaram K et al. Enzyme changes and glucose utilization in diabetic rabbits: the effect of *Gymnema sylvestre* R. Br. *J Ethnopharmacol* 1983; 7:205.
33. Shanmugasundaram E et al. Possible regeneration of the islets of Langerhans in streptozotocin-diabetic rats given *Gymnema sylvestre* leaf extracts. *J Ethnopharmacol* 1990; (3):265-279.
34. Shanmugasundaram E et al. Use of *Gymnema sylvestre* leaf extract in the control of blood glucose in insulin-dependent diabetes mellitus. *J Ethnopharmacol* 1990; 30(3):281-294.
35. Baskaran K et al. Antidiabetic effect of a leaf extract from *Gymnema sylvestre* in non-insulin-dependent diabetes mellitus patients. *J Ethnopharmacol* 1990; 295.
36. Kyremateng PH, cited in Prendergast HDV (Ed). *Plants for food and medicine*, Royal Botanic Gardens, Kew, 1998.
37. Yoshikawa M, T Murakami, and H Matsuda. Medicinal foodstuffs. X. Structures of new triterpene glycosides, gymnemasides -c, -d, -e, and -f, from the leaves of *Gymnema sylvestre* R. Br.: influence of gymnema glycosides on glucose uptake in rat small intestinal fragments. *Chem Pharm Bull* 1997; 45(12):2034-2038.
38. Persaud S et al. *Gymnema sylvestre* stimulates insulin release *in vitro* by increased membrane permeability. *J Endocrinol* 1999; 163(2):207-212.
39. Sharma R, T Raghuram, and N Rao. Effect of fenugreek seeds on blood glucose and serum lipids in type I diabetes. *Eur Clin Nutr* 1990; 44:301-306.
40. Mada Z et al. Glucose lowering effect of fenugreek in non-insulin-dependent diabetics. *Eur J Clin Nutr* 1988; 42:51-54.
41. Gupta A et al. Effect of fenugreek seeds on glycemic control and insulin resistance in type 2 diabetes mellitus. *J Assoc Physicians India* 2001; 49:1057-1061.
42. Crawford, AM. Text from a 1988 interview.
43. Vuksan V et al. American ginseng attenuates postprandial glycemia in a time-dependent but not dose dependent manner in healthy individuals. *Am J Clin Nutr* 2001; 73(4):753-758.
44. Vuksan V et al. American ginseng improves glycemia in individuals with normal glucose tolerance: effect of dose and time escalation. *J Am Coll Nutr* 2000; 19(6):738-744.
45. Vuksan V et al. Similar postprandial glycemic reductions with escalation of dose and administration time of American ginseng in type 2 diabetes. *Diabetes Care* 2000; 23(9):1221-1226.
46. Vuksan V et al. American ginseng (*Panax quinquefolius* L) reduces postprandial glycemia in nondiabetic subjects and subjects with type 2 diabetes mellitus. *Arch Intern Med* 2000; 160(7):1009-1013.
47. Shapiro K and W Gong. Natural products used for diabetes. *J Am Pharm Assoc* 2002; 42:217-226.
48. Trejo-Gonzalez A et al. A purified extract from prickly pear cactus (*Opuntia fuliginosa*) controls experimentally induced diabetes in rats. *J Ethnopharmacol* 1996; 55(1):27-33.
49. Frati-Munari A et al. Evaluation of nopal capsules in diabetes mellitus. *Gac Med Mex* 1992; 128(4):431-436.
50. Frati-Munari A et al. Effect of a dehydrated extract of nopal (*Opuntia ficus-indica* Mill.) on blood glucose *Arch Invest Med (Mex)* 1989; 20(3):211-216.
51. Frati A et al. Acute hypoglycemic effects of *Opuntia streptacantha* Lemaire in NIDDM (letter). *Diabetes Care* 1990; 13:455-456.
52. Frati-Munari A et al. Hypoglycemic effect of *Opuntia streptacantha* Lemaire in NIDDM. *Diabetes Care* 1988; 11:63-66.
53. Turner N. Traditional use of devil's club (*Oplomanax horridus*: Araliaceae) by native peoples in western North America. *J Ethnobiol* 1982; 2:1-11.
54. Green J. *The Male Herbal: Health Care for Men and Boys*, 7th ed. Crossing Press, Berkeley (CA): 1991.
55. Large R and H Brocklesby. A hypoglycemic substance from the roots of devil's club (*Fatsia horrida*). *CMAJ* 1938; 39:32-35.
56. Justice J. Use of devil's club in southeast Alaska. *Alaska Med* 1966; 8(2):36-39.
57. Piccoli L et al. A pharmacologic study of devil's club root. *J. Am Pharm. Assoc* 1940; 29:11-12.
58. Thommasen H et al. Effects of devil's club tea on blood glucose in diabetes mellitus. *Can Fam*

- Physician* 1990; 36:62-65.
59. MacDermot J. Food and medicinal plants used by the Indians of British Columbia. *CMAJ* 1949; 61:177-183.
 60. Stuhr E et al. An investigation of the root bark of *Fatsia horrida*. *Pharm Arch* 1944; 15:9-15.
 61. Judy W et al. Antidiabetic activity of a standardized extract (glucosol) from *Lagerstroemia speciosa* leaves in type II diabetics. A dose-dependence study. *J Ethnopharmacol* 2003; 87(1):115-117.
 62. Savickiene N et al. Importance of biologically active components and plants in the prevention of complications of diabetes mellitus. *Medicina (Kaunas)* 2002; 38(10):970-975.
 63. Halat K and C Dennehy. Botanicals and dietary supplements in diabetic peripheral neuropathy. *J Am Board Fam Pract* 2003; 16(1):47-57.
 64. Caselli L. Clinical and electroretinographic study on activity of anthocyanosides. *Arch Med Inst* 1985; 37:29-35.
 65. Passariello N, V Bisesti, and S Sgambato. Influence of anthocyanosides on the microcirculation and lipid picture in diabetic and dyslipidic subjects. *Gazz Med Ital* 1979; 138:563-566.
 66. Coget J and J Merlen. Anthocyanosides and microcirculation. *J Mal Vasc* 1980; 5:43-46.
 67. Schweizer J and C Hautmann. Comparison of two dosages of *Ginkgo biloba* extract EGb 761 in patients with peripheral arterial occlusive disease Fontaine's stage IIb. A randomized, double-blind, multicentric clinical trial. *Arzneimittelforschung* 1999; 49(11):900-904.
 68. Lanthony P and J Cosson. The course of color vision in early diabetic retinopathy treated with *Ginkgo biloba* extract. A preliminary double-blind vs. placebo study. *J Fr Ophtalmol* 1988; 11(10):671-674.
 69. Doly M et al. Effect of *Ginkgo biloba* extract on the electrophysiology of the isolated retina from a diabetic rat. *Presse Med* 1986; 15(31):1480-1483.
 70. Zhang W and A Li Wan Po. The effectiveness of topically applied capsaicin. A meta-analysis. *Eur J Clin Pharmacol* 1994; 46(6):517-522.
 71. Forst T et al. The influence of local capsaicin treatment on small nerve fiber function and neurovascular control in symptomatic diabetic neuropathy. *Acta Diabetol* 2002; 39(1):1-6.
 72. No authors listed. Effect of treatment with capsaicin on daily activities of patients with painful diabetic neuropathy. Capsaicin Study Group. *Diabetes Care* 1992; 15(2):159-165.
 73. Biesbroeck R et al. A double-blind comparison of topical capsaicin and oral amitriptyline in painful diabetic neuropathy. *Adv Ther* 1995; 12(2):111-120.
 74. Burkitt D and H Trowell. *Western Diseases: Their Emergence and Prevention*. Harvard University Press, Cambridge, MA: 1981.
 75. National Research Council. *Diet and Health. Implications for Reducing Chronic Disease Risk*. National Academy Press, Washington DC: 1989.
 76. Kristal H. Insulin and diabetes: a metabolic typing perspective. *Townsend Lett.* 233:67.
 77. Anderson J and K Ward. High-carbohydrate, high-fiber diets for insulin-treated men with diabetes mellitus. *Am J Clin Nutr* 1979; 32(11):2312-2321.
 78. Kay R, W Grobin, and N Trace. Diets rich in natural fiber improve carbohydrate tolerance in maturity onset, non-insulin dependent diabetics. *Diabetologia* 1981; 20:12-23.
 79. Simpson H et al. A high carbohydrate leguminous fiber diet improves all aspects of diabetic control. *Lancet* 1981; 1(8210):1-5.
 80. Jenkins D et al. Diabetic diets: high carbohydrate combined with high fiber. *Am J Clin Nutr* 1980; 33:1729-1733.
 81. Jenkins D et al. Unabsorbable carbohydrates and diabetes: decreased postprandial hyperglycemia. *Lancet* 1976; 2(7978):172-174.