

ALLERGIC DISORDERS – THE EPIDEMIC OF THE 21ST CENTURY

Jillian E Stansbury, ND

References

- 1 **J Nutr.** 2008 Sep;138(9):1770S-1772S. *Strategies for atopy prevention.* Wahn HU.
- 2 **Int J Clin Exp Pathol.** 2008 Jan 1;1(4):325-30. *Thymic Stromal Lymphopoietin (TSLP) as a Bridge between Infection and Atopy.* Esnault S, Rosenthal LA, Wang DS, Malter JS.
- 3 **Int J Clin Exp Pathol.** 2008 Jan 1;1(4):325-30. *Thymic Stromal Lymphopoietin (TSLP) as a Bridge between Infection and Atopy.* Esnault S, Rosenthal LA, Wang DS, Malter JS.
- 4 **J Allergy Clin Immunol.** 2008 Sep;122(3):529-36.e17. *Genetic variation in immune signaling genes differentially expressed in asthmatic lung tissues.* Tremblay K, Daley D, Chamberland A, Lemire M, Montpetit A, Laviolette M, Musk AW, James AL, Chan-Yeung M, Becker A, Kozyrskyj AL, Sandford AJ, Hudson TJ, Paré PD, Laprise C.
- 5 **J Nutr.** 2008 Sep;138(9):1770S-1772S. *Strategies for atopy prevention.* Wahn HU.
- 6 **Lancet.** 2008 Sep 20;372(9643):1049-57. *Rhinitis and onset of asthma: a longitudinal population-based study.* Shaaban R, Zureik M, Soussan D, Neukirch C, Heinrich J, Sunyer J, Wjst M, Cerveri I, Pin I, Bousquet J, Jarvis D, Burney PG, Neukirch F, Leynaert B.
- 7 **Arch Bronconeumol.** 2008 Sep;44(9):471-477. *Incidence and Characteristics of Adult-Onset Asthma.* Casas X, Monsó E, Orpella X, Hervás R, González JA, Arellano E, Martínez C, Martínez G, Ascosa A, Comín J, Ruiz R, Monsó B, Casas I, Esteve M, Morera J.
- 8 **Am J Rhinol.** 2008 Sep-Oct;22(5):457-62. *Occupational rhinitis in damp and moldy workplaces.* Karvala K, Nordman H, Luukkonen R, Nykyri E, Lappalainen S, Hannu T, Toskala E.
- 9 **Contact Dermatitis.** 2008 Jul;59(1):1-6. *Sesquiterpene lactone dermatitis in the young: is atopy a risk factor?* Paulsen E, Otkjaer A, Andersen KE.
- 10 **J Allergy Clin Immunol.** 2006 Jul;118(1):170-7. *Advances in allergic skin disease, anaphylaxis, and hypersensitivity reactions to foods, drugs, and insects.* Sicherer SH, Leung DY.
- 11 **Clin Exp Allergy.** 2008 Aug;38(8):1318-24. *The association of early life exposure to antibiotics and the development of asthma, eczema and atopy in a birth cohort: confounding or causality?* Wickens K, Ingham T, Epton M, Pattermore P, Town I, Fishwick D, Crane J; New Zealand Asthma and Allergy Cohort Study Group.
- 12 **Clin Exp Allergy.** 2008 Aug;38(8):1318-24. *The association of early life exposure to antibiotics and the development of asthma, eczema and atopy in a birth cohort: confounding or causality?* Wickens K, Ingham T, Epton M, Pattermore P, Town I, Fishwick D, Crane J; New Zealand Asthma and Allergy Cohort Study Group.
- 13 **Clin Ther.** 2008;30 Spec No:1017-24. *Respiratory virus and asthma: the role of immunoglobulin E.* Khan SH, Park SS, Sirajuddin IA, Grayson MH.
- 14 **J Allergy Clin Immunol.** 2008 Sep;122(3):529-36.e17. *Genetic variation in immune signaling genes differentially expressed in asthmatic lung tissues.* Tremblay K, Daley D, Chamberland A, Lemire M, Montpetit A, Laviolette M, Musk AW, James AL, Chan-Yeung M, Becker A, Kozyrskyj AL, Sandford AJ, Hudson TJ, Paré PD, Laprise C.
- 15 **Ann Allergy Asthma Immunol.** 2008 Aug;101(2):174-8. *Relationship between the atopy patch test and clinical expression of the disease in children with atopic eczema/dermatitis syndrome and respiratory symptoms.* Fuiano N, Incorvaia C, Prodam F, Procaccini DA, Bona G.
- 16 **Eur J Dermatol.** 2008 Oct 27. *Contact allergy in chronic eczematous lip dermatitis.* Schena D, Fantuzzi F, Girolomoni G.
- 17 **J Dermatol.** 2008 Jun;35(6):330-5. *Prevalence and relevance of the positivity of skin prick testing in patients with chronic urticaria.* Kulthanan K, Jiamton S, Rutnin NO, Insawang M, Pinkaew S.
- 18 **Prim Care.** 2002 Jun;29(2):231-61. *Respiratory and allergic diseases: from upper respiratory tract infections to asthma.* Jaber R.
- 19 **Pol Merkur Lekarski.** 2008 Jun;24(144):556-60. *Role of flavonoids as antioxidants in human organism.* Miller E, Malinowska K, Gałecka E, Mrowicka M, Kedziora J.
- 20 **Allergol Int.** 2007 Jun;56(2):113-23. *Flavonoids and related compounds as anti-allergic substances.* Kawai M, Hirano T, Higa S, Arimitsu J, Maruta M, Kuwahara Y, Ohkawara T, Hagihara K, Yamadori T, Shima Y, Ogata A, Kawase I, Tanaka T.
- 21 **J Invest Allergol Clin Immunol.** 2006;16(5):283-9. *Clinical effects of apple polyphenols on persistent allergic rhinitis: A randomized double-blind placebo-controlled parallel arm study.* Enomoto T, Nagasako-Akazome Y, Kanda T, Ikeda M, Dake Y.

- 22 **Int Arch Allergy Immunol.** 2008;147(3):213-21. *Procyanidin C1 from apple extracts inhibits Fc epsilon RI-mediated mast cell activation.* Nakano N, Nishiyama C, Tokura T, Nagasako-Akazome Y, Ohtake Y, Okumura K, Ogawa H
- 23 **Int Arch Allergy Immunol.** 2008;147(3):213-21. *Procyanidin C1 from apple extracts inhibits Fc epsilon RI-mediated mast cell activation.* Nakano N, Nishiyama C, Tokura T, Nagasako-Akazome Y, Ohtake Y, Okumura K, Ogawa H.
- 24 **J Biol Regul Homeost Agents.** 2006 Jul-Dec;20(3-4):47-52. *Role of quercetin (a natural herbal compound) in allergy and inflammation.* Shaik YB, Castellani ML, Perrella A, Conti F, Salini V, Tete S, Madhappan B, Vecchiet J, De Lutiis MA, Caraffa A, Cerulli G
- 25 **J Biol Regul Homeost Agents.** 2006 Jul-Dec;20(3-4):47-52. *Role of quercetin (a natural herbal compound) in allergy and inflammation.* Shaik YB, Castellani ML, Perrella A, Conti F, Salini V, Tete S, Madhappan B, Vecchiet J, De Lutiis MA, Caraffa A, Cerulli G.
- 26 **J Biol Regul Homeost Agents.** 2006 Jul-Dec;20(3-4):47-52. *Role of quercetin (a natural herbal compound) in allergy and inflammation.* Shaik YB, Castellani ML, Perrella A, Conti F, Salini V, Tete S, Madhappan B, Vecchiet J, De Lutiis MA, Caraffa A, Cerulli G.
- 27 **Int J Immunopathol Pharmacol.** 2008 Jul-Sep;21(3):509-14. *A quercetin containing supplement reduces niacin-induced flush in humans.* Kalogeromitros D, Makris M, Chliva C, Aggelides X, Kempuraj D, Theoharides TC.
- 28 **Complement Ther Med.** 2007 Sep;15(3):207-16. *Use of herbal preparations in the treatment of oxidant-mediated inflammatory disorders.* Kaplan M, Mutlu EA, Benson M, Fields JZ, Banan A, Keshavarzian A.
- 29 **Arch Pharm Res.** 2008 Jun;31(6):771-8. *Quercetin inhalation inhibits the asthmatic responses by exposure to aerosolized-ovalbumin in conscious guinea-pigs.* Moon H, Choi HH, Lee JY, Moon HJ, Sim SS, Kim CJ.
- 30 **Inflamm Res.** 2007 Oct;56(10):402-8. *Anti-inflammatory activity of quercetin and isoquercitrin in experimental murine allergic asthma.* Rogerio AP, Kanashiro A, Fontanari C, da Silva EV, Lucisano-Valim YM, Soares EG, Faccioli LH.
- 31 **Mol Cell Biochem.** 2007 Nov;305(1-2):153-61. *Hesperidin inhibits expression of hypoxia inducible factor-1 alpha and inflammatory cytokine production from mast cells.* Choi IY, Kim SJ, Jeong HJ, Park SH, Song YS, Lee JH, Kang TH, Park JH, Hwang GS, Lee EJ, Hong SH, Kim HM, Um JY.
- 32 **Zhongguo Zhong Xi Yi Jie He Za Zhi.** 2004 Aug;24(8):717-21. *Experimental study on prevention and treatment of bronchial asthma by compound Chinese herbal monomer recipe.* Dong JC, Ni J, Gong ZH.
- 33 **Int Immunopharmacol.** 2004 Sep;4(9):1217-22. *Effect of Ginkgo biloba extract EGb 761 on the nonspecific and humoral immune responses in a hypothalamic-pituitary-adrenal axis activation model.* Villaseñor-García MM, Lozoya X, Osuna-Torres L, Viveros-Paredes JM, Sandoval-Ramírez L, Puebla-Pérez AM
- 34 **Jpn J Pharmacol.** 2000 Jul;83(3):241-5. *In vitro effects of Ginkgolide B on lymphocyte activation in atopic asthma: comparison with cyclosporin A.* Mahmoud F, Abul H, Onadeko B, Khadadah M, Haines D, Morgan G.
- 35 **Agents Actions.** 1986 Jan;17(3-4):371-2. *Inhibition of antigen-induced lung anaphylaxis in the guinea-pig by BN 52021 a new specific paf-acether receptor antagonist isolated from Ginkgo biloba.* Touvy C, Etienne A, Braquet P.
- 36 **J Ethnopharmacol.** 1991 Apr;32(1-3):135-9. *Ethnopharmacology and the development of natural PAF antagonists as therapeutic agents.* Braquet P, Hosford D.
- 37 **Contact Dermatitis.** 1998 Mar;38(3):123-6. *Pretreatment of skin with a Ginkgo biloba extract/sodium carboxymethyl-beta-1,3-glucan formulation appears to inhibit the elicitation of allergic contact dermatitis in man.* Castelli D, Colin L, Camel E, Ries G.
- 38 **Zhongguo Zhong Xi Yi Jie He Za Zhi.** 1997 Apr;17(4):216-8. *Effects of ginkgo leave concentrated oral liquor in treating asthma.* Li MH, Zhang HL, Yang BY.
- 39 **Dtsch Med Wochenschr.** 1990 Oct 19;115(42):1586-90. *Paroxysmal non-hereditary angioedema.* Steurer J, Siegenthaler-Zuber G, Siegenthaler W, Suter S, Kessler FJ, Vahlensieck M, Streuli R, Lingg G
- 40 **J Ethnopharmacol.** 2008 Mar 5;116(2):363-9. *Astragalus Membranaceus prevents airway hyperreactivity in mice related to Th2 response inhibition.* Shen HH, Wang K, Li W, Ying YH, Gao GX, Li XB, Huang HQ.
- 41 **Biol Pharm Bull.** 2007 Aug;30(8):1468-71. *Oral administration of Astragalus membranaceus inhibits the development of DNFB-induced dermatitis in NC/Nga mice.* Lee SJ, Oh SG, Seo SW, Ahn HJ, Geum D, Cho JJ, Park CS.
- 42 **Zhongguo Zhong Xi Yi Jie He Za Zhi.** 2006 Aug;26(8):723-7. *Effects on herba epimedii and radix Astragali on tumor necrosis factor-alpha and nuclear factor-kappa B in asthmatic rats*
- 43 **J Ethnopharmacol.** 2008 Mar 5;116(2):363-9. *Astragalus Membranaceus prevents airway hyperreactivity in mice related to Th2 response inhibition.* Shen HH, Wang K, Li W, Ying YH, Gao GX, Li XB, Huang HQ.

- 44 **Biol Pharm Bull.** 2007 Aug;30(8):1468-71. *Oral administration of Astragalus membranaceus inhibits the development of DNFB-induced dermatitis in NC/Nga mice.* Lee SJ, Oh SG, Seo SW, Ahn HJ, Geum D, Cho JJ, Park CS.
- 45 **Zhongguo Zhong Xi Yi Jie He Za Zhi.** 2006 Aug;26(8):723-7. *Effects on herba epimedii and radix Astragali on tumor necrosis factor-alpha and nuclear factor-kappa B in asthmatic rats.* Xie JY, Dong JC, Gong ZH.
- 46 **J Ethnopharmacol.** 2008 Mar 5;116(2):363-9. *Astragalus Membranaceus prevents airway hyperreactivity in mice related to Th2 response inhibition.* Shen HH, Wang K, Li W, Ying YH, Gao GX, Li XB, Huang HQ.
- 47 **Biol Pharm Bull.** 2007 Aug;30(8):1468-71. *Oral administration of Astragalus membranaceus inhibits the development of DNFB-induced dermatitis in NC/Nga mice.* Lee SJ, Oh SG, Seo SW, Ahn HJ, Geum D, Cho JJ, Park CS
- 48 **Planta Med.** 2005 Jan;71(1):12-9. *Petasites hybridus extracts in vitro inhibit COX-2 and PGE2 release by direct interaction with the enzyme and by preventing p42/44 MAP kinase activation in rat primary microglial cells.* Fiebich BL, Grozdeva M, Hess S, Hüll M, Danesch U, Bodensieck A, Bauer R
- 49 **Ann Allergy Asthma Immunol.** 2007 Dec;99(6):483-95. *Herbal medicines for the treatment of allergic rhinitis: a systematic review.* Guo R, Pittler MH, Ernst E.
- 50 **Eur J Pharmacol.** 2008 Sep 28;593(1-3):79-86. *S-petasin and butterbur lactones dilate vessels through blockage of voltage gated calcium channels and block DNA synthesis.* Sheykhzade M, Smajilovic S, Issa A, Haunso S, Christensen SB, Tfelt-Hansen J.
- 51 **Naunyn Schmiedeberg Arch Pharmacol.** 2004 Mar;369(3):322-9. *Calcium-antagonizing activity of S-petasin, a hypotensive sesquiterpene from Petasites formosanus, on inotropic and chronotropic responses in isolated rat atria and cardiac myocytes.* Wang GJ, Liao JF, Hintz KK, Chen WP, Su MJ, Lin YL, Shi CC, Chen CF, Ren J.
- 52 **J Pharm Pharmacol.** 2003 Jan;55(1):103-7. *Iso-S-petasin, a hypotensive sesquiterpene from Petasites formosanus, depresses cardiac contraction and intracellular Ca²⁺ transients in adult rat ventricular myocytes.* Esberg LB, Wang GJ, Lin YL, Ren J.
- 53 **Planta Med.** 2003 Feb;69(2):118-24. *The mechanism of inhibitory actions of S-petasin, a sesquiterpene of Petasites formosanus, on L-type calcium current in NG108-15 neuronal cells.* Wu SN, Chen H, Lin YL.
- 54 **Biochem Pharmacol.** 2001 Apr 15;61(8):1041-7. *Role of petasin in the potential anti-inflammatory activity of a plant extract of petasites hybridus.* Thomet OA, Wiesmann UN, Schapowal A, Bizer C, Simon HU.
- 55 **Eur J Pharmacol.** 2008 Apr 28;584(2-3):398-404. *Bronchodilatory effects of S-isopetasin, an antimuscarinic sesquiterpene of Petasites formosanus, on obstructive airway hyperresponsiveness.* Lin LH, Huang TJ, Wang SH, Lin YL, Wu SN, Ko WC.
- 56 **Clin Exp Allergy.** 2004 Jan;34(1):110-4. *Butterbur, a herbal remedy, confers complementary anti-inflammatory activity in asthmatic patients receiving inhaled corticosteroids.* Lee DK, Haggart K, Robb FM, Lipworth BJ.
- 57 **Planta Med.** 2005 Jan;71(1):12-9. *Petasites hybridus extracts in vitro inhibit COX-2 and PGE2 release by direct interaction with the enzyme and by preventing p42/44 MAP kinase activation in rat primary microglial cells.* Fiebich BL, Grozdeva M, Hess S, Hüll M, Danesch U, Bodensieck A, Bauer R.
- 58 **J Agric Food Chem.** 2006 Apr 19;54(8):2915-20. *Anti type I allergic property of Japanese butterbur extract and its mast cell degranulation inhibitory ingredients.* Shimoda H, Tanaka J, Yamada E, Morikawa T, Kasajima N, Yoshikawa M.
- 59 **Drugs R D.** 2003;4(6):378-9. *Petasites--Zeller: ZE 339.* [No authors listed]
- 60 **Eur J Pharmacol.** 2004 Apr 5;489(1-2):29-37. *Effects of S-petasin on cyclic AMP production and enzyme activity of P450sec in rat zona fasciculata-reticularis cells.* Chang LL, Wun WS, Lin YL, Wang PS.
- 61 **Chin J Physiol.** 2002 Dec 31;45(4):137-42. *Effects of S-petasin on corticosterone release in rats.* Chang LL, Tseng YC, Lin YL, Wun WS, Wang PS.
- 62 **Ann Allergy Asthma Immunol.** 2007 Dec;99(6):483-95. *Herbal medicines for the treatment of allergic rhinitis: a systematic review.* Guo R, Pittler MH, Ernst E.
- 63 **Phytother Res.** 2005 Jun;19(6):530-7. *Treating intermittent allergic rhinitis: a prospective, randomized, placebo and antihistamine-controlled study of Butterbur extract Ze 339.* Schapowal A; Study Group
- 64 **Clin Exp Allergy.** 2004 Apr;34(4):646-9 *A placebo-controlled evaluation of butterbur and fexofenadine on objective and subjective outcomes in perennial allergic rhinitis.* Lee DK, Gray RD, Robb FM, Fujihara S, Lipworth BJ.
- 65 **Altern Med Rev.** 2004 Mar;9(1):54-62. *Petasites hybridus (Butterbur root) extract in the treatment of asthma--an open trial.* Danesch UC.
- 66 **Eur Neurol.** 2004;51(2):89-97. *The first placebo-controlled trial of a special butterbur root extract for the prevention of migraine: reanalysis of efficacy criteria.* Diener HC, Rahlfs VW, Danesch U.

- 67 **Food Chem Toxicol.** 2006 Dec;44(12):2025-32. *Ganoderma tsugae* in vivo modulates Th1/Th2 and macrophage responses in an allergic murine model. Lin JY, Chen ML, Lin BF.
- 68 **Food Chem Toxicol.** 2006 Dec;44(12):2025-32. *Ganoderma tsugae* in vivo modulates Th1/Th2 and macrophage responses in an allergic murine model. Lin JY, Chen ML, Lin BF.
- 69 **Planta Medica** , 1987 pg 377-8SJ Sjeu, et al, *Analysis and Processing of Chinese Herbal Drugs: VI The Study of Angelica Radix*,
- 70 **J Natural Products** 1982;45:398-406*Effects of Angelica polymorpha* on reagenic antibody production. Sung CP, Baker AP, Holden DA et al.
- 71 **Arch Pharm Res.** 2008 Feb;31(2):210-5. *The effects of isoimperatorin isolated from Angelicae dahuricae on cyclooxygenase-2 and 5-lipoxygenase in mouse bone marrow-derived mast cells.* Moon TC, Jin M, Son JK, Chang HW.
- 72 **Phytother Res.** 2003 Sep;17(8):976-9. *Inhibition of cyclooxygenase (COX) enzymes by compounds from Daucus carota L. Seeds.* Momin RA, De Witt DL, Nair MG.
- 73 **Phytomedicine.** 2002 May;9(4):312-8.*Antioxidant, cyclooxygenase and topoisomerase inhibitory compounds from Apium graveolens Linn. seeds.* Momin RA, Nair MG
- 74 **J Pharmacobiodyn.** 1985 Apr;8(4):257-63.*Calcium antagonist-like actions of coumarins isolated from "Qian-Hu" on anaphylactic mediator release from mast cell induced by concanavalin A.* Suzuki T, Kobayashi Y, Uchida MK, Sakakibara I, Okuyama T, Shibata S.
- 75 **Posit Health News.** 1998 Fall;(No 17):15-6.*Dong Quai" or "Angelica sinensis".*[No authors listed]
- 76 **J Trad Chin Med** 1986;6(3):175-77Luolan Z. *Observation on the results of treatment of female infertility in 343 cases.*
- 77 **J Trad Chin Med** 1986;6(3):187-90Zhiping H,et al *Treating amenorrhea in vital energy-deficient patients with Angelica sinensis-Astragalus membranaceus menstration regulating decoction.*
- 78 **Yao Xue Xue Bao.** 1984 Aug;19(8):561-5.*Studies on the antiasthmatic action of ligustilide of dang-gui,* Tao JY, Ruan YP, Mei QB, Liu S, Tian QL, Chen YZ, Zhang HD, Duan ZX.
- 79 **Thromb Haemost.** 1989 Nov 24;62(3):996-9.*Inhibition of platelet thromboxane formation and phosphoinositides breakdown by osthole from Angelica pubescens.*Ko FN, Wu TS, Liou MJ, Huang TF, Teng CM
- 80 **Eur J Pharmacol.** 1992 Aug 14;219(1):29-34. *Vasorelaxation of rat thoracic aorta caused by osthole isolated from Angelica pubescens.*Ko FN, Wu TS, Liou MJ, Huang TF, Teng CM.
- 81 **Arch Pharm Res.** 2008 Feb;31(2):210-5.*The effects of isoimperatorin isolated from Angelicae dahuricae on cyclooxygenase-2 and 5-lipoxygenase in mouse bone marrow-derived mast cells.* Moon TC, Jin M, Son JK, Chang HW.
- 82 **Arch Pharm Res.** 2006 Jun;29(6):503-7.*Inhibition of chronic skin inflammation by topical anti-inflammatory flavonoid preparation, Ato Formula.* Lim H, Son KH, Chang HW, Kang SS, Kim HP.
- 83 **Pharmazie.** 2007 Feb;62(2):149-53.*Baicalein, a flavonoid extracted from a methanolic extract of Oroxyllum indicum inhibits proliferation of a cancer cell line in vitro via induction of apoptosis.* Roy MK, Nakahara K, Na TV, Trakoontivakorn G, Takenaka M, Isobe S, Tsushida T.
- 84 **Clin Mol Allergy.** 2007 Nov 26;5:5. *Baicalein inhibits IL-1beta- and TNF-alpha-induced inflammatory cytokine production from human mast cells via regulation of the NF-kappaB pathway.* Hsieh CJ, Hall K, Ha T, Li C, Krishnaswamy G, Chi DS
- 85 **Planta Med.** 2001 Mar;67(2):132-5.*Inhibitory effect of baicalein, a flavonoid in Scutellaria Root, on eotaxin production by human dermal fibroblasts.*Nakajima T, Imanishi M, Yamamoto K, Cyong JC, Hirai K.
- 86 **J Dermatol Sci.** 2007 Apr;46(1):31-40. *Wogonin suppresses TARC expression induced by mite antigen via heme oxygenase 1 in human keratinocytes. Suppressive effect of wogonin on mite antigen-induced TARC expression.* Lee BS, Shim SM, Heo J, Pae HO, Seo BY, Han SY, Sohn DH, Jang SI, Chung HT.
- 87 **J Pharm Pharmacol.** 1987 Jun;39(6):466-70.*The activity of compounds extracted from feverfew on histamine release from rat mast cells.* Hayes NA, Foreman JC.
- 88 **J Ethnopharmacol.** 2008 Oct 30;120(1):98-102. *Vascular effects of Tanacetum vulgare L. leaf extract: In vitro pharmacological study.* Lahlou S, Tangi KC, Lyoussi B, Morel N.
- 89 **J Biomed Mater Res A.** 2008 May 15. *Screening biomaterials for stimulation of nitric oxide-mediated inflammation.*Lyle DB, Shallcross JC, Durfor CN, Hitchins VM, Breger JC, Langone JJ.
- 90 **Inflammation.** 2008 Aug;31(4):281-5.*Parthenolide inhibits proliferation of fibroblast-like synoviocytes in vitro.* Parada-Turska J, Mitura A, Brzana W, Jabłoński M, Majdan M, Rzeski W.
- 91 **Int Immunopharmacol.** 2007 Dec 15;7(13):1639-50. *Immunomodulatory activity of acidic polysaccharides isolated from Tanacetum vulgare L.* Xie G, Schepetkin IA, Quinn MT.
- 92 **Can J Physiol Pharmacol.** 2007 Nov;85(11):1108-15.*Gene response of human monocytic cells for the detection of antimigraine activity of feverfew extracts.*Chen CF, Leung AY

- 93 **Pharmacol Ther.** 2008 Feb;117(2):280-95. *Ameliorating effects of compounds derived from Salvia miltiorrhiza root extract on microcirculatory disturbance and target organ injury by ischemia and reperfusion.* Han JY, Fan JY, Horie Y, Miura S, Cui DH, Ishii H, Hibi T, Tsuneki H, Kimura I.
- 94 **Int Immunopharmacol.** 2008 Oct;8(10):1475-80. *Inhibition of atopic dermatitis by topical application of silymarin in NC/Nga mice.* Kang JS, Yoon WK, Han MH, Lee H, Lee CW, Lee KH, Han SB, Lee K, Yang KH, Park SK, Kim HM.
- 95 **Inflamm Res.** 2000 Aug;49(8):398-403. *l-Ephedrine is a major constituent of Mao-Bushi-Saishin-To, one of the formulas of Chinese medicine, which shows immediate inhibition after oral administration of passive cutaneous anaphylaxis in rats.* Shibata H, Nabe T, Yamamura H, Kohno S.
- 96 **Zhongguo Zhong Yao Za Zhi.** 2006 Dec;31(23):1950-2. *Investigate into of effective constituent transference of herba Ephedrae and cortex Magnoliae officinalis in preparation course of Shujin Kechuan capsule.* Lin SF, Ke XH, Wei G.
- 97 **Phytomedicine.** 2000 Mar;7(1):7-13. *Antioxidant and cyclooxygenase inhibitory phenolic compounds from Ocimum sanctum Linn.* Kelm MA, Nair MG, Strasburg GM, DeWitt DL.
- 98 **Khirurgiia (Sofia).** 1995;48(3):30-3. *The effect of an extract of sea buckthorn (Hippophae rhamnoides L.) on the healing of experimental skin wounds in rats* [Article in Bulgarian]
- 99 **Mol Cell Biochem.** 2006 Oct;290(1-2):193-8. *Influence of sea buckthorn (Hippophae rhamnoides L.) flavone on dermal wound healing in rats.* Gupta A, Kumar R, Pal K, Singh V, Banerjee PK, Sawhney RC
- 100 **J Agric Food Chem.** 1999 Sep;47(9):3480-8. *Sea buckthorn products: manufacture and composition.* Beveridge T, Li TS, Oomah BD, Smith A.
- 101 **Int J Low Extrem Wounds.** 2005 Jun;4(2):88-92. *A preclinical study of the effects of seabuckthorn (Hippophae rhamnoides L.) leaf extract on cutaneous wound healing in albino rats.* Gupta A, Kumar R, Pal K, Banerjee PK, Sawhney RC.
- 102 **Nutr Cancer.** 2005;51(1):59-67. *Chemoprevention by Hippophae rhamnoides: effects on tumorigenesis, phase II and antioxidant enzymes, and IRF-1 transcription factor.* Padmavathi B, Upreti M, Singh V, Rao AR, Singh RP, Rath PC.
- 103 **J Nutr Biochem.** 2000 Jun;11(6):338-40. *Effect of dietary supplementation with sea buckthorn (Hippophae rhamnoides) seed and pulp oils on the fatty acid composition of skin glycerophospholipids of patients with atopic dermatitis.* Yang B, Kalimo KO, Tahvonon RL, Mattila LM, Katajisto JK, Kallio HP.
- 104 **Adv Exp Med Biol.** 2007;595:105-25. *Antioxidant and anti-inflammatory properties of curcumin.* Menon VP, Sudheer AR.
- 105 **J Herb Pharmacother.** 2006;6(3-4):117-24. *Preliminary mechanistic studies on the smooth muscle relaxant effect of hydroalcoholic extract of Curcuma caesia.* Arulmozhi DK, Sridhar N, Veeranjanyulu A, Arora SK.
- 106 **Immunol Invest.** 1999 Sep-Dec;28(5-6):291-303. *Immunomodulatory activity of curcumin.* Antony S, Kuttan R, Kuttan G.
- 107 **J Clin Immunol.** 2007 Jan;27(1):19-35. *"Spicing up" of the immune system by curcumin.* Jagetia GC, Aggarwal BB
- 108 **J Ethnopharmacol.** 2007 Feb 12;109(3):535-8. *Anti-allergic activity of some selected plants in the Zingiberaceae family.* Tewtrakul S, Subhadhirasakul S.
- 109 **Biol Pharm Bull.** 2003 Jul;26(7):1021-4. *Curcumin attenuates allergen-induced airway hyperresponsiveness in sensitized guinea pigs.* Ram A, Das M, Ghosh B.
- 110 **Arch Pharm Res.** 2007 Oct;30(10):1236-9. *Inhibition of inducible prostaglandin E2 production and cyclooxygenase-2 expression by curdione from Curcuma zedoaria.* Oh OJ, Min HY, Lee SK.
- 111 **Adv Exp Med Biol.** 2007;595:213-26. *Regulation of COX and LOX by curcumin.* Rao CV.
- 112 **Ann Allergy Asthma Immunol.** 2004 Aug;93(2 Suppl 1):S24-34. *Mast cells and mast cell mediators as targets of dietary supplements.* Theoharides TC, Bielory L.
- 113 **Clin Mol Allergy.** 2007 Nov 26;5:5. *Baicalein inhibits IL-1beta- and TNF-alpha-induced inflammatory cytokine production from human mast cells via regulation of the NF-kappaB pathway.* Hsieh CJ, Hall K, Ha T, Li C, Krishnaswamy G, Chi DS.
- 114 **Mol Cell Biochem.** 2007 Nov;305(1-2):153-61. *Hesperidin inhibits expression of hypoxia inducible factor-1 alpha and inflammatory cytokine production from mast cells.* Choi IY, Kim SJ, Jeong HJ, Park SH, Song YS, Lee JH, Kang TH, Park JH, Hwang GS, Lee EJ, Hong SH, Kim HM, Um JY.
- 115 **Mol Cells.** 2006 Aug 31;22(1):104-12. *DA-9601, Artemisia asiatica herbal extract, ameliorates airway inflammation of allergic asthma in mice.* Kim JY, Kim DY, Lee YS, Lee BK, Lee KH, Ro JY.
- 116 **Holist Nurs Pract.** 2008 May-Jun;22(3):171-4. *A review of the clinical efficacy of evening primrose.* Stonemetz D.

- 117 **Can J Physiol Pharmacol**. 2008 May;86(5):264-71. *Ginger attenuates acetylcholine-induced contraction and Ca²⁺ signalling in murine airway smooth muscle cells*. Ghayur MN, Gilani AH, Janssen LJ.
- 118 **Zhongguo Zhong Yao Za Zhi**. 2006 Dec;31(23):1950-2. *Investigate into of effective constituent transference of herba Ephedrae and cortex Magnoliae officinalis in preparation course of Shujin Kechuan capsule*. Lin SF, Ke XH, Wei G
- 119 **Basic Clin Pharmacol Toxicol**. 2007 Mar;100(3):205-13. *Fritillaria cirrhosa, Anemarrhena asphodeloides, Lee-Mo-Tang and cyclosporine a inhibit ovalbumin-induced eosinophil accumulation and Th2-mediated bronchial hyperresponsiveness in a murine model of asthma*. Yeum HS, Lee YC, Kim SH, Roh SS, Lee JC, Seo YB.
- 120 **J Ethnopharmacol**. 2007 May 4;111(2):322-8. *Treatment with total alkaloids from Radix Linderae reduces inflammation and joint destruction in type II collagen-induced model for rheumatoid arthritis*. Wang C, Dai Y, Yang J, Chou G, Wang C, Wang Z.
- 121 **J Pharmacol Sci**. 2007 Feb;103(2):214-21. *Effects of continuous ingestion of herbal teas on intestinal CYP3A in the rat*. Matsuda K, Nishimura Y, Kurata N, Iwase M, Yasuhara H.
- 122 **Phytomedicine**. 2006 Jun;13(6):383-7. *A combination of valerian and lemon balm is effective in the treatment of restlessness and dyssomnia in children*. Müller SF, Klement S
- 123 **Phytother Res**. 2006 Feb;20(2):96-102. *Anxiolytic effects of a combination of Melissa officinalis and Valeriana officinalis during laboratory induced stress*. Kennedy DO, Little W, Haskell CF, Scholey AB.
- 124 **Psychosom Med**. 2004 Jul-Aug;66(4):607-13. *Attenuation of laboratory-induced stress in humans after acute administration of Melissa officinalis (Lemon Balm)*. Kennedy DO, Little W, Scholey AB.
- 125 **Am J Chin Med** 1981;9(2): 112-11 *Ginseng and the hypothalamic-pituitary control of stress*. Fulder SJ.
- 126 **J Ethnopharmacol** (1992 Sep) 37(2): pp 113 “Comparative pharmacological investigation of Ashwagandha and Ginseng” Granchi A, Muju