

# Review of Lesser-known Adaptogens: *Lepidium*, *Rhodiola*, *Smilax*, *Oplopanax*

Jillian E Stansbury

## References

- 1 **Zygote**. 2008 Nov 25;1-17. *The pollen metamorphosis phenomenon in Panax ginseng, Aralia elata and Oplopanax elatus; an addition to discussion concerning the Panax affinity in Araliaceae*. Reunov AA, Reunova GD, Alexandrova YN, Muzarok TI, Zhuravlev YN
- 2 **Genetika**. 2005 Jun;41(6):800-10. *Phylogenetic relationships of the Far Eastern Araliaceae inferred from ITS sequences of nuclear rDNA* Artiukova EV, Goncharov AA, Kozyrenko MM, Reunova GD, Zhuravlev IuN
- 3 **BMC Ecol**. 2003 May 3;3:4. Nitrogen uptake in riparian plant communities across a sharp ecological boundary of salmon density. Mathewson DD, Hocking MD, Reimchen TE. deannam@uvic.ca
- 4 **J Ethnobiol Ethnomed**. 2006 Jun 21;2:29. *Gitksan medicinal plants--cultural choice and efficacy*. Johnson LM. leslie.johnson@ualberta.ca
- 5 **J Chromatogr A**. 2007 Jun 1;1151(1-2):211-5. *Counter-current chromatography based analysis of synergy in an anti-tuberculosis ethnobotanical*. Inui T, Wang Y, Deng S, Smith DC, Franzblau SG, Pauli GF.
- 6 **J Ethnopharmacol**. 2006 Nov 24;108(2):228-35. *In vitro anti-proliferative and antioxidant studies on Devil's Club Oplopanax horridus*. Tai J, Cheung S, Cheah S, Chan E, Hasman D. jtai@interchange.ubc.ca
- 7 **Yao Xue Xue Bao**. 2004 May;39(5):354-8. *Structures of four new triterpenoid saponins from the leaves of Oplopanax elatus Nakai*. Wang GS, Yang XH, Xu JD. wangguangshu1001@163.com
- 8 **Zhongguo Zhong Yao Za Zhi**. 1997 Feb;22(2):101-3, 128. *Isolation and structure elucidation of ciresenosides Q and R*. Wang G, Xu J, Murayama T, Shoji J.
- 9 **Yao Xue Xue Bao**. 1996;31(12):940-4. *Isolation and structure elucidation of ciresenosides O and P from the leaves of Oplopanax elatus Nakai*. Wang GS, Chen YP, Xu JD, Murayama T, Shoji J.
- 10 **J Chromatogr Sci**. 2004 Apr;42(4):196-9. *High-performance liquid chromatography and thin-layer chromatography assays for Devil's Club (Oplopanax horridus)*. Gruber JW, Kittipongpatana N, Bloxton JD 2nd, Der Marderosian A, Schaefer FT, Gibbs R.
- 11 **J Nat Prod**. 1997 Nov;60(11):1210-3. *Antimycobacterial polyynes of Devil's Club (Oplopanax horridus), a North American native medicinal plant*. Kobaisy M, Abramowski Z, Lermer L, Saxena G, Hancock RE, Towers GH, Doxsee D, Stokes RW.
- 12 **J Ethnopharmacol**. 1995 Dec 1;49(2):101-10. *Antiviral screening of British Columbian medicinal plants*. McCutcheon AR, Roberts TE, Gibbons E, Ellis SM, Babiuk LA, Hancock RE, Towers GH.
- 13 **Zhongguo Zhong Yao Za Zhi**. 1993 Feb;18(2):104-5, 127. *Chemical constituents from stems of Oplopanax elatus Nakai*. Zhang HG, Wu GX, Zhang YM.
- 14 **Yao Xue Xue Bao**. 1987 Jul;22(7):549-52. *Studies on the chemical constituents and antifungal activities of essential oil from Oplopanax elatus nakai*. Mi HM, Li CG, Su ZW, Wang NP, Zhao JX, Jiang YG.
- 15 **Toxicol Rev**. 2005;24(1):11-35. *Toxicological aspects of the South American herbs cat's claw (Uncaria tomentosa) and Maca (Lepidium meyenii) : a critical synopsis*. Valerio LG Jr, Gonzales GF. Valerio@cfsan.fda.gov
- 16 **Chem Pharm Bull (Tokyo)**. 2008 Jun;56(6):807-14. *Identification and comparative determination of rhodionin in traditional tibetan medicinal plants of fourteen Rhodiola species by high-performance liquid chromatography-photodiode array detection and electrospray ionization-mass spectrometry*. Li T, Zhang H.
- 17 **Andrologia**. 2008 Jun;40(3):179-85. *Antagonistic effect of Lepidium meyenii (red maca) on prostatic hyperplasia in adult mice*. Gonzales GF, Gasco M, Malheiros-Pereira A, Gonzales-Castañeda C.
- 18 **Andrologia**. 2008 Jun;40(3):179-85. *Antagonistic effect of Lepidium meyenii (red maca) on prostatic hyperplasia in adult mice*. Gonzales GF, Gasco M, Malheiros-Pereira A, Gonzales-Castañeda C.
- 19 **Phytomedicine**. 2007 Aug;14(7-8):460-4. *Dose-response effect of Red Maca (Lepidium meyenii) on benign prostatic hyperplasia induced by testosterone enanthate*. Gasco M, Villegas L, Yucra S, Rubio J, Gonzales GF.
- 20 **Reprod Biol Endocrinol**. 2005 Jan 20;3:5. *Red maca (Lepidium meyenii) reduced prostate size in rats*. Gonzales GF, Miranda S, Nieto J, Fernández G, Yucra S, Rubio J, Yi P, Gasco M.
- 21 **Asian J Androl**. 2007 Mar;9(2):245-51. *Effect of two different extracts of red maca in male rats with testosterone-induced prostatic hyperplasia*. Gonzales GF, Vasquez V, Rodriguez D, Maldonado C, Mormontoy J, Portella J, Pajuelo M, Villegas L, Gasco M
- 22 **Andrologia**. 2007 Aug;39(4):151-8. *Effect of chronic treatment with three varieties of Lepidium meyenii (Maca) on reproductive parameters and DNA quantification in adult male rats*. Gasco M, Aguilar J, Gonzales GF. 05931@upch.edu.pe

- 23 **Fertil Steril**. 2008 May;89(5 Suppl):1461-7. Effect of different fractions from hydroalcoholic extract of Black Maca (*Lepidium meyenii*) on testicular function in adult male rats. Yucra S, Gasco M, Rubio J, Nieto J, Gonzales GF. [23411@upch.edu.pe](mailto:23411@upch.edu.pe)
- 24 **Food Chem Toxicol**. 2006 Jul;44(7):1114-22. *Lepidium meyenii* (Maca) reversed the lead acetate induced -- damage on reproductive function in male rats. Rubio J, Riqueros MI, Gasco M, Yucra S, Miranda S, Gonzales GF. [09008@upch.edu.pe](mailto:09008@upch.edu.pe)
- 25 **J Ethnopharmacol**. 2005 Apr 8;98(1-2):143-7. Dose-response effects of *Lepidium meyenii* (Maca) aqueous extract on testicular function and weight of different organs in adult rats. Chung F, Rubio J, Gonzales C, Gasco M, Gonzales GF.
- 26 **J Ethnopharmacol**. 2006 Feb 20;103(3):448-54. *Effect of short-term and long-term treatments with three ecotypes of Lepidium meyenii (MACA) on spermatogenesis in rats*. Gonzales C, Rubio J, Gasco M, Nieto J, Yucra S, Gonzales GF.
- 27 **Reprod Biol Endocrinol**. 2005 May 3;3:16. *Lepidium meyenii* (Maca) increases litter size in normal adult female mice. Ruiz-Luna AC, Salazar S, Aspajo NJ, Rubio J, Gasco M, Gonzales GF. [09341@upch.edu.pe](mailto:09341@upch.edu.pe)
- 28 **J Psychopharmacol**. 2008 May 30. Effects of *Rhodiola rosea* L. extract on behavioural and physiological alterations induced by chronic mild stress in female rats. Mattioli L, Funari C, Perfumi M.
- 29 **Menopause**. 2008 Nov-Dec;15(6):1157-62. *Beneficial effects of Lepidium meyenii (Maca) on psychological symptoms and measures of sexual dysfunction in postmenopausal women are not related to estrogen or androgen content*. Brooks NA, Wilcox G, Walker KZ, Ashton JF, Cox MB, Stojanovska L
- 30 **Reprod Biol Endocrinol**. 2005 Jan 20;3:5. *Red maca (Lepidium meyenii) reduced prostate size in rats*. Gonzales GF, Miranda S, Nieto J, Fernández G, Yucra S, Rubio J, Yi P, Gasco M. [09341@upch.edu.pe](mailto:09341@upch.edu.pe)
- 31 **Asian J Androl**. 2007 Mar;9(2):245-51. *Effect of two different extracts of red maca in male rats with testosterone-induced prostatic hyperplasia*. Gonzales GF, Vasquez V, Rodriguez D, Maldonado C, Mormontoy J, Portella J, Pajuelo M, Villegas L, Gasco M
- 32 **Phytomedicine**. 2007 Aug;14(7-8):460-4. *Dose-response effect of Red Maca (Lepidium meyenii) on benign prostatic hyperplasia induced by testosterone enanthate*. Gasco M, Villegas L, Yucra S, Rubio J, Gonzales GF. [05931@upch.edu.pe](mailto:05931@upch.edu.pe)
- 33 **Photodermatol Photoimmunol Photomed**. 2008 Feb;24(1):24-31. Hypocotyls of *Lepidium meyenii* (maca), a plant of the Peruvian highlands, prevent ultraviolet A-, B-, and C-induced skin damage in rats. Gonzales-Castañeda C, Gonzales GF.
- 34 **BMC Complement Altern Med**. 2006 Jun 23;6:23. *Effect of three different cultivars of Lepidium meyenii (Maca) on learning and depression in ovariectomized mice*. Rubio J, Caldas M, Dávila S, Gasco M, Gonzales GF. [09008@upch.edu.pe](mailto:09008@upch.edu.pe)
- 35 **Food Chem Toxicol**. 2007 Oct;45(10):1882-90. Aqueous and hydroalcoholic extracts of Black Maca (*Lepidium meyenii*) improve scopolamine-induced memory impairment in mice. Rubio J, Dang H, Gong M, Liu X, Chen SL, Gonzales GF. [09008@upch.edu.pe](mailto:09008@upch.edu.pe)
- 36 **Cell Biol Toxicol**. 2006 Mar;22(2):91-9. *The in vitro biological activity of Lepidium meyenii extracts*. Valentová K, Buckiová D, Kren V, Peknicová J, Ulrichová J, Simánek V. [valentova@email.cz](mailto:valentova@email.cz)
- 37 **Andrologia**. 2007 Aug;39(4):151-8. Effect of chronic treatment with three varieties of *Lepidium meyenii* (Maca) on reproductive parameters and DNA quantification in adult male rats. Gasco M, Aguilar J, Gonzales GF. [05931@upch.edu.pe](mailto:05931@upch.edu.pe)
- 38 **Zhong Yao Cai**. 2006 Apr;29(4):335-6. *Studies on the chemical constituents of Rhodiola dumulosa (II)* Wang JX, Luo DQ, Zhao XY.
- 39 **Guang Pu Xue Yu Guang Pu Fen Xi**. 2008 Mar;28(3):642-4. *Purification and composition analysis of polysaccharide RCPS from Rhodiola crenulata* Song XW, Ren L, Han YP, Cui ZB, Huang JK.
- 40 **Planta Med**. 2008 Feb;74(2):178-81. Phenylalkanooids and monoterpene analogues from the roots of *Rhodiola rosea*. Ali Z, Fronczek FR, Khan IA.
- 41 **Nat Prod Res**. 2008 Jan 20;22(2):178-87. Extraction of flavonoids from *Rhodiola sachlensis* A. Bor by UPE and the antioxidant activity of its extract. Zhang S, Liu C, Bi H, Wang C.
- 42 **Chem Pharm Bull** (Tokyo). 2008 Apr;56(4):536-40. Bioactive constituents from Chinese natural medicines. XXVIII. Chemical structures of acyclic alcohol glycosides from the roots of *Rhodiola crenulata*. Nakamura S, Li X, Matsuda H, Yoshikawa M.
- 43 **Chem Pharm Bull** (Tokyo). 2008 May;56(5):695-700. Reinvestigation of absolute stereostructure of (-)-rosiridol: structures of monoterpene glycosides, rosiridin, rosiridosides A, B, and C, from *Rhodiola sachalinensis*. Yoshikawa M, Nakamura S, Li X, Matsuda H.

- 44 **Chem Pharm Bull (Tokyo)**. 2008 Apr;56(4):612-5. Bioactive constituents from Chinese natural medicines. XXIX. Monoterpene and monoterpene glycosides from the roots of *Rhodiola sachalinensis*. Li X, Nakamura S, Matsuda H, Yoshikawa M.
- 45 **Plant Biol (Stuttg)**. 2008 May;10(3):323-33. *Effects of overexpression of endogenous phenylalanine ammonia-lyase (PALrs1) on accumulation of salidroside in Rhodiola sachalinensis*. Ma LQ, Gao DY, Wang YN, Wang HH, Zhang JX, Pang XB, Hu TS, Lü SY, Li GF, Ye HC, Li YF, Wang H
- 46 **Phytochemistry**. 2008 May;69(7):1507-16. *Diversification of an ancient theme: hydroxynitrile glucosides*. Bjarnholt N, Rook F, Motawia MS, Cornett C, Jørgensen C, Olsen CE, Jaroszewski JW, Bak S, Møller BL
- 47 **Phytochemistry**. 2006 Nov;67(21):2380-91. *Comparative phytochemical characterization of three Rhodiola species*. Yousef GG, Grace MH, Cheng DM, Belolipov IV, Raskin I, Lila MA.
- 48 **Chem Pharm Bull (Tokyo)**. 2008 Jul;56(7):1047-8. *Revised absolute stereochemistry of rhodiolosides A-D, rhodiolol A and sachalinol A from Rhodiola rosea*. Li W, Dou D, Koike K.
- 49 **Zhongguo Zhong Yao Za Zhi**. 2008 Feb;33(4):411-3. *Phenolic components from Rhodiola dumulosa*. Liu Q, Liu ZL, Tian X.
- 50 **Int J Sport Nutr Exerc Metab**. 2006 Jun;16(3):305-15. *Does Rhodiola rosea possess ergogenic properties?* Walker TB, Robergs RA.
- 51 **Biogerontology**. 2009 Feb;10(1):27-42. *Plant adaptogens increase lifespan and stress resistance in C. elegans*. Wiegant FA, Surinova S, Ytsma E, Langelaar-Makkinje M, Wikman G, Post JA.
- 52 **Rejuvenation Res**. 2007 Dec;10(4):587-602. *Rhodiola: a promising anti-aging Chinese herb*. Jafari M, Felgner JS, Bussel II, Hutchili T, Khodayari B, Rose MR, Vince-Cruz C, Mueller LD. mjafari@uci.edu
- 53<sup>1</sup> **Planta Med**. 2008 Nov 18. *A Randomised, Double-Blind, Placebo-Controlled, Parallel-Group Study of the Standardised Extract SHR-5 of the Roots of Rhodiola rosea in the Treatment of Subjects with Stress-Related Fatigue*. Olsson EM, von Schéele B, Panossian AG
- 54 **Adv Ther**. 2007 Jul-Aug;24(4):929-39. *Efficacy and tolerability of a Rhodiola rosea extract in adults with physical and cognitive deficiencies*. Fintelmann V, Gruenwald J.
- 55 **J Psychopharmacol**. 2007 Sep;21(7):742-50. *Rhodiola rosea L. extract reduces stress- and CRF-induced anorexia in rats*. Mattioli L, Perfumi M.
- 56 **Zhong Xi Yi Jie He Xue Bao**. 2008 Sep;6(9):952-5. *Effects of Rhodiola rosea on body weight and intake of sucrose and water in depressive rats induced by chronic mild stress*. Chen QG, Zeng YS, Tang JY, Qin YJ, Chen SJ, Zhong ZQ.
- 57 **Zhongguo Zhong Yao Za Zhi**. 2008 Jul;33(13):1561-5. *Chemical constituents and anti-tuberculosis activity of root of Rhodiola kirilowii* Wong YC, Zhao M, Zong YY, Chan CY, Che CT.
- 58 **Phytomedicine**. 2008 Sep 23. *The in vitro and in vivo antiviral effects of salidroside from Rhodiola rosea L. against coxsackievirus B3*. Wang H, Ding Y, Zhou J, Sun X, Wang S.
- 59 **Phytomedicine**. 2008 Sep 23. *The in vitro and in vivo antiviral effects of salidroside from Rhodiola rosea L. against coxsackievirus B3*. Wang H, Ding Y, Zhou J, Sun X, Wang S.
- 60 **J Med Food**. 2008 Sep;11(3):413-23. *Rhodiola crenulata induces death and inhibits growth of breast cancer cell lines*. Tu Y, Roberts L, Shetty K, Schneider SS.
- 61 **Pol J Vet Sci**. 2008;11(2):105-11. *The effect of Rhodiola quadrifida extracts on cellular immunity in mice and rats*. Skopińska-Rózewska E, Wójcik R, Siwicki AK, Sommer E, Wasiutyński A, Furmanowa M, Malinowski M, Mazurkiewicz M
- 62 **Pol J Vet Sci**. 2008;11(2):97-104. *The influence of Rhodiola quadrifida 50% hydro-alcoholic extract and salidroside on tumor-induced angiogenesis in mice*. Skopińska-Rózewska E, Malinowski M, Wasiutyński A, Sommer E, Furmanowa M, Mazurkiewicz M, Siwicki AK.
- 63<sup>1</sup> **Immunobiology**. 2008;213(2):125-31. *Aqueous extract of Rhodiola imbricata rhizome inhibits proliferation of an erythroleukemic cell line K-562 by inducing apoptosis and cell cycle arrest at G2/M phase*. Mishra KP, Padwad YS, Dutta A, Ganju L, Sairam M, Banerjee PK, Sawhney RC.
- 64 **Immunopharmacol Immunotoxicol**. 2006;28(2):201-12. *Aqueous extract of Rhodiola imbricata rhizome stimulates proinflammatory mediators via phosphorylated IkappaB and transcription factor nuclear factor-kappaB*. Mishra KP, Padwad YS, Jain M, Karan D, Ganju L, Sawhney RC.
- 65 **Biol Pharm Bull**. 2008 Aug;31(8):1523-9. *Protective effects of salidroside against acetaminophen-induced toxicity in mice*. Wu YL, Piao DM, Han XH, Nan JX.
- 66 **Phytother Res**. 2007 Jan;21(1):37-43. *Adaptogenic and central nervous system effects of single doses of 3% rosavin and 1% salidroside Rhodiola rosea L. extract in mice*. Perfumi M, Mattioli L.

- 67 **Chem Pharm Bull** (Tokyo). 2007 Oct;55(10):1505-11. Bioactive constituents from Chinese natural medicines. XXVI. Chemical structures and hepatoprotective effects of constituents from roots of *Rhodiola sachalinensis*. Nakamura S, Li X, Matsuda H, Ninomiya K, Morikawa T, Yamaguti K, Yoshikawa M.
- 68 **Theriogenology**. 2008 Dec 22. *Rhodiola sacra* aqueous extract (RSAE) improves biochemical and sperm characteristics in cryopreserved boar semen. Zhao HW, Li QW, Ning GZ, Han ZS, Jiang ZL, Duan YF
- 69 **Am J Chin Med**. 2008;36(6):1209-17. Antioxidant evaluation of three adaptogen extracts. Chen TS, Liou SY, Chang YL.
- 70 **J Med Food**. 2006 Summer;9(2):154-60. Radioprotection by *Rhodiola imbricata* in mice against whole-body lethal irradiation. Goel HC, Bala M, Prasad J, Singh S, Agrawala PK, Swahney RC.
- 71 **Planta Med**. 2008 Nov;74(14):1716-9. Constituents of *Rhodiola rosea* showing inhibitory effect on lipase activity in mouse plasma and alimentary canal. Kobayashi K, Yamada K, Murata T, Hasegawa T, Takano F, Koga K, Fushiya S, Batkhuu J, Yoshizaki F.
- 72 **Eksp Klin Farmakol**. 2008 May-Jun;71(3):15-22. Cardioprotective, inotropic, and anti-arrhythmia properties of a complex adaptogen "Tonizid". No authors listed.
- 73 **Bull Exp Biol Med**. 2006 Aug;142(2):212-5. Antihypoxic, cardioprotective, and antifibrillation effects of a combined adaptogenic plant preparation. Arbuzov AG, Krylatov AV, Maslov LN, Burkova VN, Naryzhnaya NV.
- 74 **J Ethnopharmacol**. 2008 Sep 26;119(2):284-90. Autonomic nervous system mediates the cardiovascular effects of *Rhodiola sacra* radix in rats. Shih CD, Kuo DH, Huang CW, Gu YH, Chen FA.
- 75 **Eksp Klin Farmakol**. 2007 Sep-Oct;70(5):59-67. Cardioprotective and antiarrhythmic properties of *Rhodiola* r
- 76 **Vestn Ross Akad Med Nauk**. 2008;(4):47-50. Neuroprotective features of phytoadaptogens. Bocharov EV, Kucherianu VG, Bocharova OA, Karpova RV.
- 77 **Cell Mol Neurobiol**. 2008 Dec;28(8):1067-78. Neuroprotective effects of salidroside in the PC12 cell model exposed to hypoglycemia and serum limitation. Yu S, Liu M, Gu X, Ding F
- 78 **J Altern Complement Med**. 2008 Mar;14(2):175-80. A pilot study of *Rhodiola rosea* (Rhodax) for generalized anxiety disorder (GAD). Bystritsky A, Kerwin L, Feusner JD. abystritsky@mednet.ucla.edu
- 79 **Nord J Psychiatry**. 2007;61(5):343-8. Clinical trial of *Rhodiola rosea* L. extract SHR-5 in the treatment of mild to moderate depression. Darbinyan V, Aslanyan G, Amroyan E, Gabrielyan E, Malmström C, Panossian A
- 80 **Eur J Pharmacol**. 2007 Jun 14;564(1-3):18-25. Protective effects of salidroside on hydrogen peroxide-induced apoptosis in SH-SY5Y human neuroblastoma cells. Zhang L, Yu H, Sun Y, Lin X, Chen B, Tan C, Cao G, Wang Z.
- 81 **Eur J Pharmacol**. 2008 Jul 7;588(2-3):165-9. Epub 2008 Apr 20. Salidroside stimulated glucose uptake in skeletal muscle cells by activating AMP-activated protein kinase. Li HB, Ge YK, Zheng XX, Zhang L.
- 82 **Asia Pac J Clin Nutr**. 2006;15(3):425-32. Evaluation of *Rhodiola crenulata* and *Rhodiola rosea* for management of type II diabetes and hypertension. Kwon YI, Jang HD, Shetty K.
- 83 **Asia Pac J Clin Nutr**. 2006;15(3):425-32. Evaluation of *Rhodiola crenulata* and *Rhodiola rosea* for management of type II diabetes and hypertension. Kwon YI, Jang HD, Shetty K.
- 84 **Biofactors**. 2006;26(3):209-19. Antioxidative effects of *Cinnamomi cassiae* and *Rhodiola rosea* extracts in liver of diabetic mice. Kim SH, Hyun SH, Choung SY.
- 85 **J Cosmet Dermatol**. 2008 Jun;7(2):112-9. Neuroimmunomodulatory compound for sensitive skin care: in vitro and clinical assessment. Dieamant Gde C, Velazquez Pereda Mdel C, Eberlin S, Nogueira C, Werka RM, Queiroz ML.
- 86 **Pharmazie**. 2008 Apr;63(4):290-5. Inhibitory effect of p-coumaric acid by *Rhodiola sachalinensis* on melanin synthesis in B16F10 cells. Park SH, Kim DS, Park SH, Shin JW, Youn SW, Park KC.
- 87 **Phytother Res**. 2008 Oct 9. Pharmacokinetic and pharmacodynamic study of interaction of *Rhodiola rosea* SHR-5 extract with warfarin and theophylline in rats. Panossian A, Hovhannisyan A, Abrahamyan H, Gabrielyan E, Wikman G.
- 88 **Food Chem Toxicol**. 2008 May;46(5):1645-52. A dose dependent adaptogenic and safety evaluation of *Rhodiola imbricata* Edgew, a high altitude rhizome. Gupta V, Saggi S, Tulsawani RK, Sawhney RC, Kumar R.
- 89 **J Carcinog**. 2006 May 9;5:11. A long-term investigation of the anti-hepatocarcinogenic potential of an indigenous medicine comprised of *Nigella sativa*, *Hemidesmus indicus* and *Smilax glabra*. Iddamaldeniya SS, Thabrew MI, Wickramasinghe SM, Ratnatunge N, Thammitiyagodage MG
- 90 **Life Sci**. 2005 Aug 5;77(12):1319-30. Cytotoxic effects of a decoction of *Nigella sativa*, *Hemidesmus indicus* and *Smilax glabra* on human hepatoma HepG2 cells. Thabrew MI, Mitry RR, Morsy MA, Hughes RD

- 91 **J Carcinog**. 2003 Oct 18;2(1):6. *Protection against diethylnitrosoamine-induced hepatocarcinogenesis by an indigenous medicine comprised of Nigella sativa, Hemidesmus indicus and Smilax glabra: a preliminary study.* Iddamaldeniya SS, Wickramasinghe N, Thabrew I, Ratnatunge N, Thammitiyagodage MG.
- 92 **J Ethnopharmacol**. 2008 Sep 2;119(1):12-6. *Diuretic activity of Smilax canariensis, an endemic Canary Island species.* Abdala S, Martín-Herrera D, Benjumea D, Pérez-Paz P
- 93 **Zhongguo Zhong Yao Za Zhi**. 2008 Jun;33(11):1281-4. *Identification of dihydroflavonol glycoside isomers in Smilax glabra by HPLC-MS and HPLC-IH NMR.* Wang YH, Li L, Zhang HG, Qiao YJ
- 94 **Yao Xue Xue Bao**. 1998 Nov;33(11):873-5 *Studies on the chemical constituents of Smilax glabra.* Yi Y, Cao Z, Yang D, Cao Y, Wu Y, Zhao S
- 95 **Zhong Yao Cai**. 2008 Jan;31(1):120-2. *Research on the application of supercritical fluid extraction of diosgenin of Smilax china.* Chen DS, Hua XL, Yu LX.
- 96 **Zhongguo Zhong Yao Za Zhi**. 2007 Jul;32(13):1292-5. *Study on separation and purification of total flavones from Smilax china by macroporous absorption resin.* Li WX, Yan Y, Ye XC, Yang XL
- 97 **J Pharm Biomed Anal**. 2007 Jul 27;44(3):737-42. *Simultaneous determination of six major stilbenes and flavonoids in Smilax china by high performance liquid chromatography.* Shao B, Guo HZ, Cui YJ, Liu AH, Yu HL, Guo H, Xu M, Guo DA.
- 98 **J Nat Prod**. 2005 Oct;68(10):1475-8. *Cytotoxic phenylpropanoid glycosides from the stems of Smilax china.* Kuo YH, Hsu YW, Liaw CC, Lee JK, Huang HC, Kuo LM.
- 99 **Fitoterapia**. 2004 Dec;75(7-8):656-61. *Supercritical fluid extraction of saponins from tubers of Smilax china.* Shu XS, Gao ZH, Yang XL.
- Fitoterapia**. 2004 Dec;75(7-8):656-61. *Supercritical fluid extraction of saponins from tubers of Smilax china.* Shu XS, Gao ZH, Yang XL.
- 100 **Zhong Yao Cai**. 2005 Jan;28(1):24-6. *Studies on chemical constituents of Smilax china.* Ruan J, Zou J, Cai Y.
- 101 **Fitoterapia**. 2008 Sep;79(6):479-80. *A new naphthalene glycoside from the roots of Smilax bockii.* Li X, Xu J, Zhang P, Li N, Meng DL.
- 102 **Pharmazie**. 2006 Sep;61(9):812. *A new lignan from Smilax bockii warb.* Xu J, Li X, Zhang P, Li N, Meng DL.
- 103 **Phytochemistry**. 2008 Apr;69(6):1398-404. *Antioxidant phenylpropanoid glycosides from Smilax bracteata.* Zhang L, Liao CC, Huang HC, Shen YC, Yang LM, Kuo YH.
- 104 **Chem Pharm Bull** (Tokyo). 2006 Oct;54(10):1451-4. *Steroidal glycosides and aromatic compounds from Smilax riparia.* Li J, Bi X, Zheng G, Hitoshi Y, Ikeda T, Nohara T.
- 105 **Zhongguo Zhong Yao Za Zhi**. 2003 Mar;28(3):233-5. *Study on chemical constituents in rhizome of Smilax perfoliate.* Cheng YB, Zhang DM, Yu SS, Ding Y.
- 106 **Phytochemistry**. 1996 Sep;43(2):465-9. *Steroidal saponins from Smilax officinalis.* Bernardo RR, Pinto AV, Parente JP
- 107 **J Agric Food Chem**. 2004 Oct 6;52(20):6091-5. *New mannose-binding lectin isolated from the rhizome of Sarsaparilla Smilax glabra Roxb. (Liliaceae).* Ooi LS, Sun SS, Wang H, Ooi VE.
- 108 **Int J Biochem Cell Biol**. 2001 Mar;33(3):269-77. *Isolation of a novel heterodimeric agglutinin from rhizomes of Smilax glabra, the Chinese medicinal material tufuling.* Ng TB, Yu YL
- 109 **Biochem Biophys Res Commun**. 2006 Feb 3;340(1):118-24. *Smilaxin, a novel protein with immunostimulatory, antiproliferative, and HIV-1-reverse transcriptase inhibitory activities from fresh Smilax glabra rhizomes.* Chu KT, Ng TB
- 110 **Biochem Biophys Res Commun**. 2006 Feb 3;340(1):118-24. *Smilaxin, a novel protein with immunostimulatory, antiproliferative, and HIV-1-reverse transcriptase inhibitory activities from fresh Smilax glabra rhizomes.* Chu KT, Ng TB
- 111 **J Pharm Pharmacol**. 2004 Apr;56(4):495-502. *Astilbin prevents concanavalin A-induced liver injury by reducing TNF-alpha production and T lymphocytes adhesion.* Wang J, Zhao Y, Xu Q.
- 112 **J Pharm Pharmacol**. 2004 Apr;56(4):495-502. *Astilbin prevents concanavalin A-induced liver injury by reducing TNF-alpha production and T lymphocytes adhesion.* Wang J, Zhao Y, Xu Q.
- 113 **Biomed Chromatogr**. 2008 Apr;22(4):421-7. *High performance liquid chromatographic method for the determination and pharmacokinetic studies of oxyresveratrol and resveratrol in rat plasma after oral administration of Smilax china extract.* Huang H, Zhang J, Chen G, Lu Z, Wang X, Sha N, Shao B, Li P, Guo DA
- 114 **J Nat Prod**. 2002 Mar;65(3):262-6. *New phenolic constituents from Smilax bracteata.* Li SY, Fuchino H, Kawahara N, Sekita S, Satake M.
- 115 **Zhongguo Zhong Yao Za Zhi**. 2006 Jul;31(13):1054-5. *Comparison of resveratrol content of Smilax china from different habitats.* Wang GZ, Xu SZ, Gan GP, Liu YW.

- 116 **Phytomedicine**. 2007 Jun;14(6):403-8. *Beta-secretase (BACE1)-inhibiting stilbenoids from Smilax Rhizoma*. Jeon SY, Kwon SH, Seong YH, Bae K, Hur JM, Lee YY, Suh DY, Song KS.
- 117 **J Pharmacol Sci**. 2008 Jan;106(1):68-77. Neuroprotective effect of Smilacis chinae rhizome on NMDA-induced neurotoxicity in vitro and focal cerebral ischemia in vivo. Ban JY, Cho SO, Choi SH, Ju HS, Kim JY, Bae K, Song KS, Seong YH.
- 118 **Phytochemistry**. 2008 Apr;69(6):1398-404. *Antioxidant phenylpropanoid glycosides from Smilax bracteata*. Zhang L, Liao CC, Huang HC, Shen YC, Yang LM, Kuo YH.
- 119 **Phytochemistry**. 2007 Mar;68(5):623-30. *Steroidal saponins from Smilax china and their anti-inflammatory activities*. Shao B, Guo H, Cui Y, Ye M, Han J, Guo D.
- 120 **J Ethnopharmacol**. 2006 Feb 20;103(3):327-32. Anti-inflammatory and anti-nociceptive activities of Smilax china L. aqueous extract. Shu XS, Gao ZH, Yang XL.
- 121 **Zhongguo Zhong Yao Za Zhi**. 2006 Feb;31(3):239-43 *The anti-inflammation effects of Smilax china ethylacetate extract in rats and mice*. Shu XS, Gao ZH, Yang XL
- 123 **Chem Pharm Bull** (Tokyo). 2008 Sep;56(9):1324-7. *Steroidal saponins from the roots of Smilax aspera subsp. mauritanica*. Belhouchet Z, Sautour M, Miyamoto T, Lacaille-Dubois MA.
- 124 **Planta Med**. 2006 Jun;72(7):667-70. *Bioactive steroidal saponins from Smilax medica*. Sautour M, Miyamoto T, Lacaille-Dubois MA.
- 125 **J Nat Prod**. 2005 Oct;68(10):1489-93. *Steroidal saponins from Smilax medica and their antifungal activity*. Sautour M, Miyamoto T, Lacaille-Dubois MA.
- 126 **J Ethnopharmacol**. 2005 Oct 3;101(1-3):162-8. *Antioxidant activity in Australian native sarsaparilla (Smilax glyciphylla)*. Cox SD, Jayasinghe KC, Markham JL.
- 127 **Am J Chin Med**. 2008;36(1):185-95. Antiviral and anti-proliferative glycoproteins from the rhizome of Smilax glabra Roxb (Liliaceae). Ooi LS, Wong EY, Chiu LC, Sun SS, Ooi VE.
- 128 **Clin Chem**. 2007 Mar;53(3):465-71. Identification of a new metabolite of astilbin, 3'-O-methylastilbin, and its immunosuppressive activity against contact dermatitis. Guo J, Qian F, Li J, Xu Q, Chen T.
- 129 **Phytochemistry**. 2004 Feb;65(4):481-4. *Maltol glucosides from the tuber of Smilax bockii*. Guo H, Koike K, Li W, Guo D, Nikaido T.
- 130 **Arch Pharm Res**. 2005 Apr;28(4):395-9. *Antiinflammatory constituents from the roots of Smilax bockii warb*. Xu J, Li X, Zhang P, Li ZL, Wang Y.
- 131 **Exp Mol Med**. 2001 Dec 31;33(4):263-8. *Free radical scavenging and antioxidant enzyme fortifying activities of extracts from Smilax china root*. Lee SE, Ju EM, Kim JH
- 132 **Fitoterapia**. 2004 Dec;75(7-8):656-61. *Supercritical fluid extraction of saponinins from tubers of Smilax china*. Shu XS, Gao ZH, Yang XL.
- Fitoterapia**. 2004 Dec;75(7-8):656-61. *Supercritical fluid extraction of saponinins from tubers of Smilax china*. Shu XS, Gao ZH, Yang XL.
- 132 **Zhong Yao Cai**. 2005 Jan;28(1):24-6. *Studies on chemical constituents of Smilax china*. Ruan J, Zou J, Cai Y.
- 131 **Cancer Lett**. 2008 Jun 18;264(2):229-40. Kaempferol-7-O-beta-D-glucoside (KG) isolated from Smilax china L. rhizome induces G2/M phase arrest and apoptosis on HeLa cells in a p53-independent manner. Xu W, Liu J, Li C, Wu HZ, Liu YW.
- 134 **J Ethnopharmacol**. 2007 Aug 15;113(1):115-24. A flavonoid glycoside isolated from Smilax china L. rhizome in vitro anticancer effects on human cancer cell lines. Li YL, Gan GP, Zhang HZ, Wu HZ, Li CL, Huang YP, Liu YW, Liu JW.
- 135 **J Nat Prod**. 2005 Oct;68(10):1475-8. *Cytotoxic phenylpropanoid glycosides from the stems of Smilax china*. Kuo YH, Hsu YW, Liaw CC, Lee JK, Huang HC, Kuo LM.
- 136 **Int Immunopharmacol**. 2008 Oct;8(10):1467-74. Astilbin inhibits the adhesion of T lymphocytes via decreasing TNF-alpha and its associated MMP-9 activity and CD44 expression. Yi HW, Lu XM, Fang F, Wang J, Xu Q.
- 137 **Chem Biol Interact**. 2008 Jan 10;171(1):1-14. *Anti-proliferative and pro-apoptotic effect of Smilax glabra Roxb. extract on hepatoma cell lines*. Sa F, Gao JL, Fung KP, Zheng Y, Lee SM, Wang YT
- 138 **J Ethnopharmacol**. 2005 Oct 3;101(1-3):162-8. *Antioxidant activity in Australian native sarsaparilla (Smilax glyciphylla)*. Cox SD, Jayasinghe KC, Markham JL.
- 139 **Nat Prod Res**. 2008;22(10):884-9. *Pregnane glycosides and steroid saponins from Smilax bockii Warb. and their NGF-potentiating activity*. Xu J, Li X, Zhao CC, Wang Y.
- 140 **Life Sci**. 2006 Nov 10;79(24):2251-9. Catechin and epicatechin from Smilacis chinae rhizome protect cultured rat cortical neurons against amyloid beta protein (25-35)-induced neurotoxicity through inhibition of cytosolic calcium elevation. Ban JY, Jeon SY, Bae K, Song KS, Seong YH.

141 **J Ethnopharmacol.** 2009 Jan 12;121(1):175-7. *Anti-inflammatory activities of Sieboldogenin from Smilax china Linn.: Experimental and computational studies.* Khan I, Nisar M, Ebad F, Nadeem S, Saeed M, Khan H, Samiullah, Khuda F, Karim N, Ahmad Z

142 **J Pharmacol Sci.** 2008 Jan;106(1):68-77. Neuroprotective effect of Smilacis chinae rhizome on NMDA-induced neurotoxicity in vitro and focal cerebral ischemia in vivo. Ban JY, Cho SO, Choi SH, Ju HS, Kim JY, Bae K, Song KS, Seong YH.

143 **J Ethnopharmacol.** 2006 Jun 30;106(2):230-7. Protection of amyloid beta protein (25-35)-induced neurotoxicity by methanol extract of Smilacis chinae rhizome in cultured rat cortical neurons. Ban JY, Cho SO, Koh SB, Song KS, Bae K, Seong YH.